

JIESEN

WET & DRY VACUUM MANUFACTURER

Clean power. Your brand.

Product selection & OEM cooperation
From Jinyun, Zhejiang, China, to your market.



Lishui Jiesen Electric Appliance Co., Ltd.

jsdq2@jiesencn.com

PRODUCT SELECTION GUIDE / OCTOBER 2026

A focused product range.

Compare function and capacity, then discuss the configuration for your market.



JS2402

20 / 25 / 35 L

1200 W

Wet / dry / blow



JS2406

20 / 25 / 35 L

1200 W

Wet / dry



JS2401

20 / 25 / 35 L

1200 W

Wet / dry / blow



JS2404

60 / 70 / 80 L

Twin 2400 W / triple 3600 W

Wet / dry

Compact series.

Three tank sizes. 1200 W rated input power. Vacuum pressure above 18 kPa.

Function

JS2401 / JS2402: wet, dry and blower.

JS2406: wet and dry; optional external power socket.

Filter cleaning is available across all three series.

Model	Capacity	Net / gross (kg)	Carton dimensions (mm)
JS2402-2800-25	20 L	5.1 / 5.9	350 x 350 x 485
JS2402-3000-30	25 L	5.31 / 6.15	350 x 350 x 585
JS2402-3200-40	35 L	5.91 / 6.75	350 x 350 x 720
JS2406-2800-25	20 L	5.1 / 5.9	350 x 350 x 485
JS2406-3000-30	25 L	5.31 / 6.15	350 x 350 x 585
JS2406-3200-35	35 L	5.91 / 6.75	350 x 350 x 720
JS2401-2800-25	20 L	5.1 / 5.9	350 x 350 x 485
JS2401-3000-30	25 L	5.31 / 6.15	350 x 350 x 585
JS2401-3200-40	35 L	5.91 / 6.75	350 x 350 x 720

Electrical configuration: choose a market-specific 110-120 V or 220-240 V version. These are not universal-voltage machines.

Packing data applies to the listed standard configuration. Confirm the final accessory list, weight and carton dimensions with your quotation.

Commercial configurations.

60, 70 and 80 L. Wet and dry. Filter cleaning across the series.



60 L



70 L



80 L

Photos show the triple-motor versions. Vacuum pressure: above 19 kPa.

Model	Input power	Net / gross (kg)	Carton dimensions (mm)
JS2404-T3600-60	3600 W	15.5 / 18.3	580 x 510 x 820
JS2404-T3600-70	3600 W	16.2 / 18.8	580 x 510 x 910
JS2404-T3600-80	3600 W	16.8 / 19.5	580 x 510 x 1010
JS2404-D2400-60	2400 W	14.4 / 16.8	580 x 510 x 820
JS2404-D2400-70	2400 W	14.9 / 17.5	580 x 510 x 910
JS2404-D2400-80	2400 W	15.4 / 18.1	580 x 510 x 1010

Triple motor: 3600 W, 220-240 V only.

Twin motor: 2400 W, voltage configured for the destination market.

Packing data is for standard configurations. Custom accessories and packaging may change the final shipping dimensions and weight.

Make it your own.

Start with an existing model, then choose the presentation and configuration for your brand.

100

Logo MOQ

300

Colour MOQ

500

Printed box MOQ


~35

Production days

Standard orders have no fixed minimum quantity. Customization follows the quantities above. The production schedule is confirmed with your order; shipping time is separate.

Choose. Confirm. Produce.

- 01 Select the model, capacity, voltage, plug and accessories.
- 02 Discuss samples, branding, packaging and quotation terms.
- 03 Confirm the order and production schedule.
- 04 Confirm the packing, loading plan and shipping documents.



From our factory in Zhejiang.

Established in 2024.

5,000 m2 factory area. 30+ team members.

Direct exports to Europe, Southeast Asia,
the Middle East and South America.

Lishui Jiesen Electric Appliance Co., Ltd.

No. 15 Xinye Road, Xinbi Street, Jinyun County,
Lishui City, Zhejiang Province, China.

jsdq2@jiesencn.com